



# Pollution Incident Response Plan

Auscott Marketing Pty Ltd  
Murrumbidgee Valley Gin Operations  
Hay Gin

10991 Lot 21 Cobb Highway  
PO Box 267  
Hay NSW 2711  
Phone 02 6997 2209  
Fax 02 6997 2222

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 1 of 15



# Pollution Incident Response Plan

## Table of Contents

<b>Contents</b>	<b>Page</b>
Contents Page	2
Description of Business Activity	3
Objectives of the Plan	3
External Contact List	4
Internal Contact List	4
Location, Description and Likelihood of Hazards	5
Inventory of Pollutants	7
Safety Equipment	8
Crisis Management Plan	9
Minimising Harm to People on the Premises	10
Maps	11
Staff Training	12
Pollution Incident Response Plan	13
Response Chart	15

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 2 of 15



## Pollution Incident Response Plan

Environment Protection Licence 20586

### Business Activity:

Receival, Storage and Processing of Seed Cotton. The site consists of Cotton Module storage, Weighbridge, Administration Building, Cotton Gin, Cotton Bale Storage Facility and associated Cotton Trash Disposal Area.

The facilities peak activity period is during the cotton harvest period from April through August each year.

During the peak period there a large number of truck movements delivering cotton modules to the facility and also transporting cotton bales away from the facility.

The cotton processing plant or “Gin” operates 24 hours, 7 days a week removing waste trash and seed and packaging processed cotton into bales that is transported by road. This continues until the season is completed.

The waste by-product called “cotton trash” is stored in the trash yard.

Outside the peak season the gin is in repair and maintenance mode and the level of activity at the facility is greatly reduced.

### Objectives of the Plan:

- Ensure comprehensive and timely communication about a pollution incident to staff at the facility, the EPA, SafeWork NSW, SES NSW and the Rural Fire Service.
- Minimise and control the risk of a pollution incident at the facility through the identification of hazards and risks and the development of planned actions to minimise and manage those risks.
- Ensure that the plan is implemented effectively by responsible and trained staff and to test the plan regularly for accuracy, currency and suitability. This current version of the Pollution Incident Response Plan has been tested and revised through implementation of the Pollution Incident Response Scenario.

Date

Responsible Person:

Distribution List.

Distribution List

**Gin Manager:** Craig Gaston

**WHS&E Coordinator:** Karen Martin

**Grower Services Manager:** Eddie Redfern

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 3 of 15



## Pollution Incident Response Plan

### External Contact List

#### Communicating with Neighbours and local Community

OFF-SITE		
Organisation	Phone	Fax
Work Cover (Stuart Larkin) 104-110 Banna Avenue (PO Box 1784) Griffith NSW 2680	02 6962 8900/ 02 6962 8901	02 6964 1738/ 02 9287 4817
Regional EPA (Darren Wallett) Suite 7-9 Level 1, 130-140 Banna Avenue (PO BOX 397) Griffith NSW	02 6969 0700 0427 255 214	02 6969 0710
SES Rescue Squad 206 Fernleigh Road WAGGA WAGGA NSW 2650 CC*- Call Centre HDO** – Hay Duty Officer	02 6932 9199 (CC)* 13 25 00 (HDO)** 0429 038 777	02 6932 9190
Fire Brigade-General Business 380 Macauley St, Hay NSW	02 6993 1101	
Bush Fire Brigade	02 6993 4213	
Ambulance– General Business	02 6993 1705	
Police 412 Moppett St, Hay	02 6993 1100	
Hay Hospital 351 Murray Street Hay 2711	02 6990 8700	6990 8771
Ambulance/Police/Fire Brigade (Emergency)	000	

### Internal Contact Details

<p><b>Craig Gaston</b> Gin Manager <a href="mailto:cgaston@auscott.com.au">cgaston@auscott.com.au</a> <b>Murrumbidgee Valley Co-ordinator.</b> Tel. 02 6997 2203 Mob. 0407 776 885 Fax. 02 6997 2222</p>	<p><b>Eddie Redfern</b> Grower Services Manager <a href="mailto:eredfern@auscott.com.au">eredfern@auscott.com.au</a> <b>Liaison - Affected growers.</b> Tel. 02 6997 2204 Mob. 0418 554 498 Fax. 02 6997 2222</p>
<p><b>Karen Martin</b> WHS&amp;E Coordinator Murrumbidgee Valley <a href="mailto:kmartin@auscott.com.au">kmartin@auscott.com.au</a> <b>Liaison – Regulatory authorities and environmental information.</b> <b>Liaison – Injured employees.</b> Tel. 02 6997 2209 Mob. 0427 591 728 Fax 02 6997 2222</p>	<p><b>Lenna Nagele</b> Auscott Administration <a href="mailto:lnagele@auscott.com.au">lnagele@auscott.com.au</a> <b>Liaison - Auscott financials</b> Tel. 02 6799 1453 Mob. 0438 991 429 Fax. 02 6799 1488</p>

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 4 of 15



## Pollution Incident Response Plan

### Location, Description and Likelihood of Hazards

Site	Hazard	Pre-emptive actions	Risk Rating
LPG Storage tank 66,000lt.	Rupture of tank or fill hose during filling operation	<ul style="list-style-type: none"> <li>Tank undergoes regular maintenance.</li> <li>Tank filled by reputable LPG supplier.</li> <li>Area surrounding tank is maintained be free of vegetation and ignition sources.</li> </ul>	Low
	Fire resulting from leak and external ignition source	<ul style="list-style-type: none"> <li>Fire hoses and fire extinguishers are provided and maintained at tank.</li> </ul>	Low
Trash Yard	<b>Fire – Burning trash from gin.</b> Fire could be transported and dumped into the trash yard from the Gin Mote, setting alight stored trash.	<ul style="list-style-type: none"> <li>Trash is stored in long windrows which limits the quantity of trash that would burn.</li> <li>The trash yard is isolated from the main work area and module storage yards.</li> <li>A trash yard fire would generate a reasonable amount of smoke but would not put people in danger.</li> </ul>	Low
	Contaminated runoff from yard after rain	The trash that is a by-product of the ginning process is considered to be a resource. It is converted to compost. There is little chance of contaminants from the compost entering water sources due to the distance to the nearest water source	Low
Module Yard	Fire - Stored cotton modules could be set on fire through a number of avenues <ul style="list-style-type: none"> <li>A “hot” module that is delivered to the yard and ignites.</li> <li>External ignition source.</li> </ul>	<ul style="list-style-type: none"> <li>The Company has a comprehensive firefighting manual and procedures.</li> <li>Auscott Limited has an extensive investment in firefighting equipment.</li> <li>Any fire out-break would be quickly contained and extinguished.</li> <li>The module yard is separated from the main work areas and a fire would generate a reasonable amount of smoke but would not put people in danger.</li> </ul>	Low

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 5 of 15



## Pollution Incident Response Plan

Site	Hazard	Pre-emptive actions	Risk Rating
Bale Pad	Fire – Stored cotton bales ignited by fire bales from gin. A fire would generate considerable heat and smoke.	<ul style="list-style-type: none"> <li>Identified fire bales are segregated from the stored bales.</li> <li>Comprehensive firefighting manual and procedures.</li> <li>Extensive investment in firefighting equipment.</li> </ul>	Low
Cyclone System	Cyclone malfunction causing gin dust emissions to atmosphere	<ul style="list-style-type: none"> <li>Gin dust emissions are non-toxic.</li> <li>Cyclones are located externally to the work area and pose minimal health risk.</li> </ul>	Low
Transformer Yard	<p>Fire – Release of inert oil of up to 1000lt. from transformers.</p> <p>Toxic fumes and smoke released to atmosphere.</p>	<ul style="list-style-type: none"> <li>The transformers are owned and maintained by Essential Energy and undergo an inspection and maintenance program.</li> <li>Transformer yards located in areas away from main work areas.</li> </ul> <p>Exposure to fumes and smoke could cause serious health problems.</p>	<p>Low</p> <p>High Health risk</p>

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 6 of 15



## Pollution Incident Response Plan

### Inventory of Pollutants

<b>Pollutant</b>	<b>Location</b> <b>Map Reference</b> Latitude -34°36'14.3064" , Longitude 144°48'53.7120"
LPG	LPG Storage Tank
Cotton Trash	Trash Yard
Gin Dust	Cyclone Rack
Diesel Fuel	Diesel Storage
Oil/Toxic Fumes	Electricity Transformer – Gin 11

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 7 of 15



## Pollution Incident Response Plan

### Safety Equipment

Hazard	Equipment
Fire	Isuzu Fire Truck Water Tanker Fire Suppressant Foam 200kl water supply Diesel water pump set Hydrant and hose reel system
Chemical Spill	Spill Containment Kits

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 8 of 15





## Pollution Incident Response Plan

### Crisis management Plan

Refer Appendix 1  
Available on Intranet

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 9 of 15



## Pollution Incident Response Plan

### Minimising Harm to people on the premises

Refer to Visitor Policy and Procedures – Appendix 2 Available on Intranet  
Fire Emergency Response Procedures – Appendix 3 Available on common drive

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 10 of 15



# Pollution Incident Response Plan

## Maps

Site Map – Appendix 4

- Gin
- Bale Pad
- Diesel Fuel Storage
- Trash yard
- LPG Tank
- Transformers

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 11 of 15



## Pollution Incident Response Plan

### Staff Training

All staff will attend a seasonal induction and training sessions at the beginning of each Ginning Season. The induction program will include an information and training session on

- Firefighting procedures
- Operate firefighting equipment
- Emergency response procedures

Management staff will attend an annual crisis management simulation exercise.

### Test Pollution Response Scenarios

Date	Pollution Response Scenario	WHS Monitor #
21/06/2016	Trash Yard Fire	DRLR-38
17/05/2018	LPG Storage Tank rupture of tank or fill hose	DRLR-36
31/05/2019	Trash Yard Fire	DRLR-1
17/06/2020	Bale Pad Fire	DRLR-37

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 12 of 15



## Pollution Incident Response Plan

### Pollution Incident Response Plan

#### Phase 1 Potential Pollution Incident Reported: Incident Assessment

The Pollution Incident Response Plan may be triggered by the report of a potential pollution incident to the Shift Supervisor.

- The Shift Supervisor will begin preliminary assessment of the incident to determine the severity of the incident i.e. “if there is risk of material harm to the environment”.
- If there is likelihood that the environment will be harmed, then it is a notifiable incident.
- If it is a notifiable incident the Shift Supervisor will contact the Murrumbidgee Gin Manager of the incident.
- The Murrumbidgee Gin Manager or his representative will immediately notify the Environmental Protection Authority and begin actions to activate the Crisis Management Plan.

#### Phase 2 Response: Plan initiation

- The Gin Manager / Shift Supervisor will assemble an incident response crew
- The Operations Manager will assemble a crisis management team and commence the crisis response plan
- The Gin Manager / Shift Supervisor will
  - Make resources available to the response crew
  - Alert all people on site, employees, contractors, visitors, to the emergency and commence emergency response procedures.
  - Commence record keeping – Incident Report Form
- The Incident response crew will
  - Develop a plan to respond to the emergency
  - Assemble required resources
  - Respond to the emergency and control the pollution incident
  - Communicate and cooperate with any / all state emergency authorities: Rural Fire Service (RFS), Police, State Emergency Service (SES), SafeWork, and NSW Environment Protection Authority (EPA).
- The State Authorities will take control of incident response activities as and when necessary.
- The WHS&E Coordinator will
  - Assist with implementation of emergency procedures
  - Take over from the Gin Manager/Shift Supervisor responsibility for gathering environmental information and records and commence incident investigation.

Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 13 of 15



## Pollution Incident Response Plan

### Phase 3 Response Completion - The pollution incident has been controlled

- The Operations Manager / Gin Manager will resume control of the site after hand over from State Authorities.
- The response crew will commence mopping up activities:
  - Ensure all waste material from the incident does not escape from control and is disposed of legally, safely and properly
  - Equipment and machinery washed down and return to normal service
- The response crew leader will report to Gin manager / Shift Supervisor when incident site is ready to be returned to normal activity.
- The Gin Manager/Shift Supervisor will inspect workplace to ensure it is safe and operational.
- The WHS&E Coordinator will complete incident investigation report
- All Managers and Employees involved in the incident response activities will attend an incident debrief meeting from which a written report will be prepared.


Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 14 of 15



# Pollution Incident Response Plan

## Pollution Incident Response Plan

### Response Chart



Document Name: Pollution Incident Response Plan	Version: 3.0	Last reviewed: 15/06/20
Department: WHS	Next review: 01/06/21	Page 15 of 15